

## MKX 1g RSO Syringe


Sample ID: 1909PSI0112.12556  
Strain: NA  
Matrix: Concentrates & Extracts  
Type: Distillate

Metric ID:  
1A4050100003779000000026  
Batch ID:  
-

Produced:  
Date Received: 09/10/2019  
Completed: 09/17/2019  
Sample Size: 15 units; Batch: -

Comco LLC  
Lic. # PR-000028  
12584 Wooden RD  
Hanover, MI 49246

### Cannabinoids



Testing Method: HPLC-DAD / SOP - PSIMTDA02  
Date Tested: 09/11/2019



Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.40	<LOQ	<LOQ
Δ9-THC	0.40	40.36	403.6
Δ8-THC	0.40	<LOQ	<LOQ
THCV	0.40	<LOQ	<LOQ
CBDa	0.40	<LOQ	<LOQ
CBD	0.40	37.99	379.9
CBN	0.40	0.71	7.1
CBGa	0.40	<LOQ	<LOQ
CBG	0.40	1.89	18.9
CBC	0.40	<LOQ	<LOQ
<b>Total</b>		<b>80.94</b>	<b>809.4</b>

Total THC = THCa \* 0.877 + Δ9-THC  
Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

### Safety

Residual Solvents	GC-MS / SOP - PSIMTDC	Pass
Pesticides	HPLC-MS/MS / SOP - PSIMTDP	Pass
Heavy Metals	ICP-MS / SOP - PSIMTDH	Pass
Foreign Matter	Visual Exam / SOP - PSIMTDF	Pass

Notes:



*L. Spivak*  
Lev Spivak-Birndorf  
CSO



This product has been tested by PSI Labs using valid testing methodologies in compliance with state law. Values reported relate only to the product tested. PSI Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of PSI Labs.

## MKX 1g RSO Syringe

Sample ID: 1909PSI0112.12556  
Strain: NA  
Matrix: Concentrates & Extracts  
Type: Distillate

Metric ID:  
1A4050100003779000000026  
Batch ID:  
-

Produced:  
Date Received: 09/10/2019  
Completed: 09/17/2019  
Sample Size: 15 units; Batch: -

Comco LLC  
Lic. # PR-000028  
12584 Wooden RD  
Hanover, MI 49246

### Pesticides


Pass

Analyte	LOQ	Limit	Mass	Status	Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Abamectin	0.5	0.5	ND	Pass	Hexythiazox	1	1	ND	Pass
Acephate	0.4	0.4	ND	Pass	Imazalil	0.2	0.2	ND	Pass
Acequinocyl	2	2	ND	Pass	Imidacloprid	0.4	0.4	ND	Pass
Acetamiprid	0.2	0.2	ND	Pass	Kresoxim Methyl	0.4	0.4	ND	Pass
Aldicarb	0.4	0.4	ND	Pass	Malathion	0.2	0.2	ND	Pass
Azoxystrobin	0.2	0.2	ND	Pass	Metalaxyl	0.2	0.2	ND	Pass
Bifenazate	0.2	0.2	ND	Pass	Methiocarb	0.2	0.2	ND	Pass
Bifenthrin	0.2	0.2	ND	Pass	Methomyl	0.4	0.4	ND	Pass
Boscalid	0.4	0.4	ND	Pass	Methyl Parathion	0.2	0.2	ND	Pass
Carbaryl	0.2	0.2	ND	Pass	MGK-264	0.2	0.2	ND	Pass
Carbofuran	0.2	0.2	ND	Pass	Myclobutanil	0.2	0.2	ND	Pass
Chlorantraniliprole	0.2	0.2	ND	Pass	Naled	0.5	0.5	ND	Pass
Chlorfenapyr	1	1	ND	Pass	Oxamyl	1	1	ND	Pass
Chlorpyrifos	0.2	0.2	ND	Pass	Paclobutrazol	0.4	0.4	ND	Pass
Clofentezine	0.2	0.2	ND	Pass	Permethrins	0.2	0.2	ND	Pass
Cyfluthrin	1	1	ND	Pass	Phosmet	0.2	0.2	ND	Pass
Cypermethrin	1	1	ND	Pass	Prallethrin	0.2	0.2	ND	Pass
Daminozide	1	1	ND	Pass	Propiconazole	0.4	0.4	ND	Pass
Diazinon	0.2	0.2	ND	Pass	Propoxur	0.2	0.2	ND	Pass
Dichlorvos	0.1	0.1	ND	Pass	Pyrethrins	1	1	ND	Pass
Dimethoate	0.2	0.2	ND	Pass	Pyridaben	0.2	0.2	ND	Pass
Ethoprophos	0.2	0.2	ND	Pass	Spinosad	0.2	0.2	ND	Pass
Etofenprox	0.4	0.4	ND	Pass	Spiromesifen	0.2	0.2	ND	Pass
Etoxazole	0.2	0.2	ND	Pass	Spirotetramat	0.2	0.2	ND	Pass
Fenoxycarb	0.2	0.2	ND	Pass	Spiroxamine	0.4	0.4	ND	Pass
Fenpyroximate	0.4	0.4	ND	Pass	Tebuconazole	0.4	0.4	ND	Pass
Fipronil	0.4	0.4	ND	Pass	Thiacloprid	0.2	0.2	ND	Pass
Flonicamid	1	1	ND	Pass	Thiamethoxam	0.2	0.2	ND	Pass
Fludioxonil	0.4	0.4	ND	Pass	Trifloxystrobin	0.2	0.2	ND	Pass

Notes:  
Testing Method: HPLC-MS/MS / SOP - PSIMTDP

Notes:  
Date Tested: 09/13/2019



  
Lev Spivak-Birndorf  
CSO



This product has been tested by PSI Labs using valid testing methodologies in compliance with state law. Values reported relate only to the product tested. PSI Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of PSI Labs.

## MKX 1g RSO Syringe

Sample ID: 1909PSI0112.12556  
Strain: NA  
Matrix: Concentrates & Extracts  
Type: Distillate

Metric ID:  
1A4050100003779000000026  
Batch ID:  
-

Produced:  
Date Received: 09/10/2019  
Completed: 09/17/2019  
Sample Size: 15 units; Batch: -

Comco LLC  
Lic. # PR-000028  
12584 Wooden RD  
Hanover, MI 49246

### Microbials

Not Tested

Analyte	Limit	Mass	Status
---------	-------	------	--------

Analyte	Limit	Result	Status
---------	-------	--------	--------

Testing Method: 3M Petrifilm / SOP - PSIMTDE

Date Tested:

Dilution: ; CFU/g = Colony Forming Units per gram. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

### Heavy Metals

Pass

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Arsenic	0.1	0.2	<LOQ	Pass
Cadmium	0.1	0.2	ND	Pass
Chromium	0.1	0.6	<LOQ	Pass
Lead	0.1	0.5	<LOQ	Pass
Mercury	0.05	0.1	<LOQ	Pass

Notes:

Testing Method: ICP-MS / SOP - PSIMTDH

Date Tested: 09/17/2019



*Lev Spivak-Birndorf*

Lev Spivak-Birndorf  
CSO



This product has been tested by PSI Labs using valid testing methodologies in compliance with state law. Values reported relate only to the product tested. PSI Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of PSI Labs.

## MKX 1g RSO Syringe

Sample ID: 1909PSI0112.12556  
Strain: NA  
Matrix: Concentrates & Extracts  
Type: Distillate

Metric ID:  
1A4050100003779000000026  
Batch ID:  
-

Produced:  
Date Received: 09/10/2019  
Completed: 09/17/2019  
Sample Size: 15 units; Batch: -

Comco LLC  
Lic. # PR-000028  
12584 Wooden RD  
Hanover, MI 49246

### Solvents

Pass

Analyte	LOQ	Limit	Mass	Status	Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
TOTAL BUTANES		800	ND	Pass	1-Propanol	4.62		ND	Tested
<i>n</i> -Butane	4.62		ND	Tested	2-Butanone	4.62		ND	Tested
<i>Isobutane</i>	4.62		ND	Tested	Ethyl-Acetate	4.62	400	ND	Pass
TOTAL PENTANES		750	ND	Pass	2-Butanol	4.62		ND	Tested
<i>Isopentane</i>	4.62		ND	Tested	Tetrahydrofuran	4.62		ND	Tested
<i>n</i> -Pentane	4.62		ND	Tested	Chloroform	0.92	2	ND	Pass
TOTAL HEXANES		50	ND	Pass	Cyclohexane	4.62		ND	Tested
2,3-Dimethyl-Butane	4.62		ND	Tested	1,2-Dimethoxy-Ethane	4.62		ND	Tested
2-Methyl-Pentane	4.62		ND	Tested	Benzene	0.92	1	ND	Pass
3-Methyl-Pentane	4.62		ND	Tested	1,2-Dichloro-Ethane	0.92	2	ND	Pass
<i>n</i> -Hexane	4.62		ND	Tested	Heptanes	4.62	500	ND	Pass
TOTAL XYLENES		150	ND	Pass	1-Butanol	4.62		ND	Tested
<i>o</i> -Xylene	4.62		ND	Tested	Trichloroethene	4.62	25	ND	Pass
<i>p</i> & <i>m</i> -Xylene	4.62		ND	Tested	1,4-Dioxane	4.62		ND	Tested
Ethyl-Benzene	4.62		ND	Tested	2-Ethoxy-Ethanol	4.62		ND	Tested
Methanol	9.24	250	ND	Pass	Propane	9.24	2100	ND	Pass
Ethylene Oxide	0.92	5	ND	Pass	Pyridine	4.62		ND	Tested
Ethanol	4.62	1000	25.05	Pass	Ethylene Glycol	18.48		ND	Tested
Ethyl-Ether	4.62	500	ND	Pass	Toluene	4.62	150	ND	Pass
Acetone	4.62	750	ND	Pass	1-Pentanol	4.62		ND	Tested
2,2-Dimethyl-Butane	4.62		ND	Tested	N,N-Dimethyl-Formamide	4.62		ND	Tested
Isopropanol	4.62	500	ND	Pass	Dimethyl Sulfoxide	4.62		ND	Tested
Acetonitrile	9.24	60	ND	Pass	N,N-Dimethyl-Acetamide	4.62		ND	Tested
Methylene-Chloride	4.62	125	ND	Pass	Cumene	4.62		ND	Tested
Total Solvents								25.05	

#### Notes:

Testing Method: GC-MS / SOP - PSIMTDC  
PPM = Parts Per Million; LOQ = Limit of Quantitation. The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Date Tested: 09/11/2019



*L. Spivak*

Lev Spivak-Birndorf  
CSO



This product has been tested by PSI Labs using valid testing methodologies in compliance with state law. Values reported relate only to the product tested. PSI Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of PSI Labs.