

## MKX 1g RSO Syringe

Sample ID: 2001PSI0310.01744  
Strain: n/a  
Matrix: Concentrates & Extracts  
Type: RSO

Batch ID:

Produced:  
Date Received: 01/17/2020  
Completed: 02/04/2020  
Sample Size: 6 units; Batch: -

Comco LLC  
Lic. # PR-000028  
12584 Wooden RD  
Hanover, MI 49246

### Cannabinoids

**42.54%** **41.33%**

Total THC Total CBD

Testing Method: HPLC-DAD / SOP - PSIMTDA  
Date Tested: 01/21/2020



Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.40	<LOQ	<LOQ
Δ9-THC	0.40	42.54	425.4
Δ8-THC	0.40	<LOQ	<LOQ
THCV	0.40	<LOQ	<LOQ
CBDa	0.40	<LOQ	<LOQ
CBD	0.40	41.33	413.3
CBN	0.40	<LOQ	<LOQ
CBGa	0.40	<LOQ	<LOQ
CBG	0.40	2.22	22.2
CBC	0.40	<LOQ	<LOQ
<b>Total</b>		<b>86.10</b>	<b>861.0</b>


Total THC = THCa \* 0.877 + Δ9-THC  
Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

### Safety

Residual Solvents	GC-MS / SOP - PSIMTDC	Pass
Pesticides	HPLC-MS/MS / SOP - PSIMTDG	Pass
Heavy Metals	ICP-MS / SOP - PSIMTDH	Pass
Foreign Matter	Visual Exam / SOP - PSIMTDF	Pass



  
Lev Spivak-Birndorf  
CSO



## MKX 1g RSO Syringe

Sample ID: 2001PSI0310.01744  
Strain: n/a  
Matrix: Concentrates & Extracts  
Type: RSO

Batch ID:

Produced:  
Date Received: 01/17/2020  
Completed: 02/04/2020  
Sample Size: 6 units; Batch: -

Comco LLC  
Lic. # PR-000028  
12584 Wooden RD  
Hanover, MI 49246


### Pesticides

Pass

Analyte	LOQ	Limit	Mass	Status	Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Abamectin	0.5	0.5	ND	Pass	Hexythiazox	1	1	ND	Pass
Acephate	0.4	0.4	ND	Pass	Imazalil	0.2	0.2	ND	Pass
Acequinocyl	2	2	ND	Pass	Imidacloprid	0.4	0.4	ND	Pass
Acetamiprid	0.2	0.2	ND	Pass	Kresoxim Methyl	0.4	0.4	ND	Pass
Aldicarb	0.4	0.4	ND	Pass	Malathion	0.2	0.2	ND	Pass
Azoxystrobin	0.2	0.2	ND	Pass	Metalaxyl	0.2	0.2	ND	Pass
Bifenazate	0.2	0.2	ND	Pass	Methiocarb	0.2	0.2	ND	Pass
Bifenthrin	0.2	0.2	ND	Pass	Methomyl	0.4	0.4	ND	Pass
Boscalid	0.4	0.4	ND	Pass	Methyl Parathion	0.2	0.2	ND	Pass
Carbaryl	0.2	0.2	ND	Pass	MGK-264	0.2	0.2	ND	Pass
Carbofuran	0.2	0.2	ND	Pass	Myclobutanil	0.2	0.2	ND	Pass
Chlorantraniliprole	0.2	0.2	ND	Pass	Naled	0.5	0.5	ND	Pass
Chlorfenapyr	1	1	ND	Pass	Oxamyl	1	1	ND	Pass
Chlorpyrifos	0.2	0.2	ND	Pass	Paclobutrazol	0.4	0.4	ND	Pass
Clofentezine	0.2	0.2	ND	Pass	Permethrins	0.2	0.2	ND	Pass
Cyfluthrin	1	1	ND	Pass	Phosmet	0.2	0.2	ND	Pass
Cypermethrin	1	1	ND	Pass	Prallethrin	0.2	0.2	ND	Pass
Daminozide	1	1	ND	Pass	Propiconazole	0.4	0.4	ND	Pass
Diazinon	0.2	0.2	ND	Pass	Propoxur	0.2	0.2	ND	Pass
Dichlorvos	0.1	0.1	ND	Pass	Pyrethrins	1	1	ND	Pass
Dimethoate	0.2	0.2	ND	Pass	Pyridaben	0.2	0.2	ND	Pass
Ethoprophos	0.2	0.2	ND	Pass	Spinosad	0.2	0.2	ND	Pass
Etofenprox	0.4	0.4	ND	Pass	Spiromesifen	0.2	0.2	ND	Pass
Etoxazole	0.2	0.2	ND	Pass	Spirotetramat	0.2	0.2	ND	Pass
Fenoxycarb	0.2	0.2	ND	Pass	Spiroxamine	0.4	0.4	ND	Pass
Fenpyroximate	0.4	0.4	ND	Pass	Tebuconazole	0.4	0.4	ND	Pass
Fipronil	0.4	0.4	ND	Pass	Thiacloprid	0.2	0.2	ND	Pass
Flonicamid	1	1	ND	Pass	Thiamethoxam	0.2	0.2	ND	Pass
Fludioxonil	0.4	0.4	ND	Pass	Trifloxystrobin	0.2	0.2	ND	Pass

Date Tested: 01/23/2020  
Testing Method: HPLC-MS/MS / SOP - PSIMTDP



  
Lev Spivak-Birndorf  
CSO



This product has been tested by PSI Labs using valid testing methodologies in compliance with state law. Values reported relate only to the product tested. PSI Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of PSI Labs.

## MKX 1g RSO Syringe

Sample ID: 2001PSI0310.01744  
Strain: n/a  
Matrix: Concentrates & Extracts  
Type: RSO

Batch ID:

Produced:  
Date Received: 01/17/2020  
Completed: 02/04/2020  
Sample Size: 6 units; Batch: -

Comco LLC  
Lic. # PR-000028  
12584 Wooden RD  
Hanover, MI 49246

## Microbials

Not Tested

Analyte	Limit	Mass	Status
---------	-------	------	--------

Analyte	Limit	Result	Status
---------	-------	--------	--------

Date Tested:  
Testing Method: qPCR  
Dilution: ; CFU/g = Colony Forming Units per gram. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.


## Heavy Metals

Pass

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Arsenic	0.1	1.5	<LOQ	Pass
Cadmium	0.1	0.5	ND	Pass
Chromium	0.1	2	<LOQ	Pass
Copper	0.1		<LOQ	Tested
Lead	0.1	0.5	<LOQ	Pass
Mercury	0.05	3	ND	Pass
Nickel	0.1		ND	Tested

Date Tested: 01/27/2020  
Testing Method: ICP-MS / SOP - PSIMTDH



  
Lev Spivak-Birndorf  
CSO



This product has been tested by PSI Labs using valid testing methodologies in compliance with state law. Values reported relate only to the product tested. PSI Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of PSI Labs.

## MKX 1g RSO Syringe

Sample ID: 2001PSI0310.01744  
Strain: n/a  
Matrix: Concentrates & Extracts  
Type: RSO

Batch ID:

Produced:  
Date Received: 01/17/2020  
Completed: 02/04/2020  
Sample Size: 6 units; Batch: -

Comco LLC  
Lic. # PR-000028  
12584 Wooden RD  
Hanover, MI 49246


### Solvents

Pass

Analyte	LOQ	Limit	Mass	Status	Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
TOTAL BUTANES		5000	ND	Pass	1-Propanol	4.48		ND	Tested
<i>n</i> -Butane	4.48		ND	Tested	2-Butanone	4.48		ND	Tested
<i>Isobutane</i>	4.48		ND	Tested	Ethyl-Acetate	4.48	5000	ND	Pass
TOTAL PENTANES		5000	ND	Pass	2-Butanol	4.48		ND	Tested
<i>Isopentane</i>	4.48		ND	Tested	Tetrahydrofuran	4.48		ND	Tested
<i>n</i> -Pentane	4.48		ND	Tested	Chloroform	0.90	60	ND	Pass
TOTAL HEXANES		290	ND	Pass	Cyclohexane	4.48		ND	Tested
2,3-Dimethyl-Butane	4.48		ND	Tested	1,2-Dimethoxy-Ethane	4.48		ND	Tested
2-Methyl-Pentane	4.48		ND	Tested	Benzene	0.90	2	ND	Pass
3-Methyl-Pentane	4.48		ND	Tested	1,2-Dichloro-Ethane	0.90	5	ND	Pass
<i>n</i> -Hexane	4.48		ND	Tested	Heptanes	4.48	5000	ND	Pass
TOTAL XYLENES		2170	ND	Pass	1-Butanol	4.48		ND	Tested
<i>o</i> -Xylene	4.48		ND	Tested	Trichloroethene	4.48	80	ND	Pass
<i>p</i> & <i>m</i> -Xylene	4.48		ND	Tested	1,4-Dioxane	4.48		ND	Tested
Ethyl-Benzene	4.48		ND	Tested	2-Ethoxy-Ethanol	4.48		ND	Tested
Methanol	8.97	3000	24.30	Pass	Propane	8.97	5000	ND	Pass
Ethylene Oxide	0.90	50	ND	Pass	Pyridine	4.48		ND	Tested
Ethanol	4.48	5000	74.17	Pass	Ethylene Glycol	17.94		ND	Tested
Ethyl-Ether	4.48	5000	ND	Pass	Toluene	4.48	890	ND	Pass
Acetone	4.48	5000	ND	Pass	1-Pentanol	4.48		ND	Tested
2,2-Dimethyl-Butane	4.48		ND	Tested	N,N-Dimethyl-Formamide	4.48		ND	Tested
Isopropanol	4.48	5000	ND	Pass	Dimethyl Sulfoxide	4.48		ND	Tested
Acetonitrile	8.97	410	ND	Pass	N,N-Dimethyl-Acetamide	4.48		ND	Tested
Methylene-Chloride	4.48	600	ND	Pass	Cumene	4.48		ND	Tested
Total Solvents								98.48	

Date Tested: 01/20/2020  
Testing Method: GC-MS / SOP - PSIMTDC  
PPM = Parts Per Million; LOQ = Limit of Quantitation. The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



  
Lev Spivak-Birndorf  
CSO



This product has been tested by PSI Labs using valid testing methodologies in compliance with state law. Values reported relate only to the product tested. PSI Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of PSI Labs.