

## MKX-PURPLE PUNCH 1G VAPE CART

Sample ID: 2004PSI0342.10666  
Strain: n/a  
Matrix: Concentrates & Extracts  
Type: Other

METRC Batch ID:  
1A4050100008C3D000000012  
METRC Sample:  
1A4050100008C3D000000027

Produced:  
Date Received: 04/29/2020  
Completed: 05/05/2020  
Sample Size: 10 units; Batch: -

Sky Labs - MKX  
Lic. #  
9421 N Dort Hwy  
Mt Morris, MI 48458

### Cannabinoids

# 84.00% <LOQ

Total THC

Total CBD

Testing Method: HPLC-DAD / SOP - PSIMTDA  
Date Tested: 05/01/2020



| Analyte      | LOQ  | Mass         | Mass         |
|--------------|------|--------------|--------------|
|              | %    | %            | mg/g         |
| THCa         | 0.40 | <LOQ         | <LOQ         |
| Δ9-THC       | 0.40 | 84.00        | 840.0        |
| Δ8-THC       | 0.40 | <LOQ         | <LOQ         |
| THCV         | 0.40 | 0.54         | 5.4          |
| CBDa         | 0.40 | <LOQ         | <LOQ         |
| CBD          | 0.40 | <LOQ         | <LOQ         |
| CBN          | 0.40 | <LOQ         | <LOQ         |
| CBGa         | 0.40 | <LOQ         | <LOQ         |
| CBG          | 0.40 | 3.65         | 36.5         |
| CBC          | 0.40 | 1.17         | 11.7         |
| <b>Total</b> |      | <b>89.36</b> | <b>893.6</b> |

Total THC = THCa \* 0.877 + Δ9-THC


Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation, ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

### Safety

|                   |                             |      |
|-------------------|-----------------------------|------|
| Residual Solvents | GC-MS / SOP - PSIMTDC       | Pass |
| Pesticides        | HPLC-MS/MS / SOP - PSIMTDG  | Pass |
| Heavy Metals      | ICP-MS / SOP - PSIMTDH      | Pass |
| Foreign Matter    | Visual Exam / SOP - PSIMTDF | Pass |



  
Lev Spivak-Birndorf  
CSO



## MKX-PURPLE PUNCH 1G VAPE CART

Sample ID: 2004PSI0342.10666  
Strain: n/a  
Matrix: Concentrates & Extracts  
Type: Other

METRC Batch ID:  
1A4050100008C3D000000012  
METRC Sample:  
1A4050100008C3D000000027

Produced:  
Date Received: 04/29/2020  
Completed: 05/05/2020  
Sample Size: 10 units; Batch: -

Sky Labs - MKX  
Lic. #  
9421 N Dort Hwy  
Mt Morris, MI 48458

### Pesticides

Pass

| Analyte             | LOQ | Limit | Mass | Status | Analyte          | LOQ | Limit | Mass | Status |
|---------------------|-----|-------|------|--------|------------------|-----|-------|------|--------|
|                     | PPM | PPM   | PPM  |        |                  | PPM | PPM   | PPM  |        |
| Abamectin           | 0.5 | 0.5   | ND   | Pass   | Hexythiazox      | 1   | 1     | ND   | Pass   |
| Acephate            | 0.4 | 0.4   | ND   | Pass   | Imazalil         | 0.2 | 0.2   | ND   | Pass   |
| Acequinocyl         | 2   | 2     | ND   | Pass   | Imidacloprid     | 0.4 | 0.4   | ND   | Pass   |
| Acetamiprid         | 0.2 | 0.2   | ND   | Pass   | Kresoxim Methyl  | 0.4 | 0.4   | ND   | Pass   |
| Aldicarb            | 0.4 | 0.4   | ND   | Pass   | Malathion        | 0.2 | 0.2   | ND   | Pass   |
| Azoxystrobin        | 0.2 | 0.2   | ND   | Pass   | Metalaxyl        | 0.2 | 0.2   | ND   | Pass   |
| Bifenazate          | 0   | 0.2   | 0.17 | Pass   | Methiocarb       | 0.2 | 0.2   | ND   | Pass   |
| Bifenthrin          | 0.2 | 0.2   | ND   | Pass   | Methomyl         | 0.4 | 0.4   | ND   | Pass   |
| Boscalid            | 0.4 | 0.4   | ND   | Pass   | Methyl Parathion | 0.2 | 0.2   | ND   | Pass   |
| Carbaryl            | 0.2 | 0.2   | ND   | Pass   | MGK-264          | 0.2 | 0.2   | ND   | Pass   |
| Carbofuran          | 0.2 | 0.2   | ND   | Pass   | Myclobutanil     | 0.2 | 0.2   | ND   | Pass   |
| Chlorantraniliprole | 0.2 | 0.2   | ND   | Pass   | Naled            | 0.5 | 0.5   | ND   | Pass   |
| Chlorfenapyr        | 1   | 1     | ND   | Pass   | Oxamyl           | 1   | 1     | ND   | Pass   |
| Chlorpyrifos        | 0.2 | 0.2   | ND   | Pass   | Paclobutrazol    | 0.4 | 0.4   | ND   | Pass   |
| Clofentezine        | 0.2 | 0.2   | ND   | Pass   | Permethrins      | 0.2 | 0.2   | ND   | Pass   |
| Cyfluthrin          | 1   | 1     | ND   | Pass   | Phosmet          | 0.2 | 0.2   | ND   | Pass   |
| Cypermethrin        | 1   | 1     | ND   | Pass   | Prallethrin      | 0.2 | 0.2   | ND   | Pass   |
| Daminozide          | 1   | 1     | ND   | Pass   | Propiconazole    | 0.4 | 0.4   | ND   | Pass   |
| Diazinon            | 0.2 | 0.2   | ND   | Pass   | Propoxur         | 0.2 | 0.2   | ND   | Pass   |
| Dichlorvos          | 0.1 | 0.1   | ND   | Pass   | Pyrethrins       | 1   | 1     | ND   | Pass   |
| Dimethoate          | 0.2 | 0.2   | ND   | Pass   | Pyridaben        | 0.2 | 0.2   | ND   | Pass   |
| Ethoprophos         | 0.2 | 0.2   | ND   | Pass   | Spinosad         | 0.2 | 0.2   | ND   | Pass   |
| Etofenprox          | 0.4 | 0.4   | ND   | Pass   | Spiromesifen     | 0.2 | 0.2   | ND   | Pass   |
| Etoxazole           | 0.2 | 0.2   | ND   | Pass   | Spirotetramat    | 0.2 | 0.2   | ND   | Pass   |
| Fenoxycarb          | 0.2 | 0.2   | ND   | Pass   | Spiroxamine      | 0.4 | 0.4   | ND   | Pass   |
| Fenpyroximate       | 0.4 | 0.4   | ND   | Pass   | Tebuconazole     | 0.4 | 0.4   | ND   | Pass   |
| Fipronil            | 0.4 | 0.4   | ND   | Pass   | Thiacloprid      | 0.2 | 0.2   | ND   | Pass   |
| Flonicamid          | 1   | 1     | ND   | Pass   | Thiamethoxam     | 0.2 | 0.2   | ND   | Pass   |
| Fludioxonil         | 0.4 | 0.4   | ND   | Pass   | Trifloxystrobin  | 0.2 | 0.2   | ND   | Pass   |

Date Tested: 04/30/2020

Testing Method: HPLC-MS/MS / SOP - PSIMTDP

PPM = Parts Per Million; LOQ = Limit of Quantitation, ND = Not Detected, NT = Not Tested.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



*Lev Spivak-Birndorf*

Lev Spivak-Birndorf  
CSO



## MKX-PURPLE PUNCH 1G VAPE CART

Sample ID: 2004PSI0342.10666  
Strain: n/a  
Matrix: Concentrates & Extracts  
Type: Other

METRC Batch ID:  
1A4050100008C3D000000012  
METRC Sample:  
1A4050100008C3D000000027

Produced:  
Date Received: 04/29/2020  
Completed: 05/05/2020  
Sample Size: 10 units; Batch: -

Sky Labs - MKX  
Lic. #  
9421 N Dort Hwy  
Mt Morris, MI 48458

### Microbials

Not Tested

| Analyte | Limit | Mass | Status |
|---------|-------|------|--------|
|---------|-------|------|--------|

| Analyte | Limit | Result | Status |
|---------|-------|--------|--------|
|---------|-------|--------|--------|

Date Tested:  
Testing Method: qPCR  
CFU/g = Colony Forming Units per gram, ND = Not Detected, NT = Not Tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory."

### Heavy Metals

Pass

| Analyte  | LOQ  | Limit | Mass | Status |
|----------|------|-------|------|--------|
|          | PPM  | PPM   | PPM  |        |
| Arsenic  | 0.1  | 0.2   | <LOQ | Pass   |
| Cadmium  | 0.1  | 0.2   | <LOQ | Pass   |
| Chromium | 0.1  | 0.6   | 0.17 | Pass   |
| Copper   | 0.1  | 3     | <LOQ | Pass   |
| Lead     | 0.1  | 0.5   | <LOQ | Pass   |
| Mercury  | 0.05 | 0.1   | <LOQ | Pass   |
| Nickel   | 0.1  |       | <LOQ | Tested |

Date Tested: 05/01/2020  
Testing Method: ICP-MS / SOP - PSIMTDH



  
Lev Spivak-Birndorf  
CSO



This product has been tested by PSI Labs using valid testing methodologies in compliance with state law. Values reported relate only to the product tested. PSI Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of PSI Labs.

## MKX-PURPLE PUNCH 1G VAPE CART

Sample ID: 2004PSI0342.10666  
Strain: n/a  
Matrix: Concentrates & Extracts  
Type: Other

METRC Batch ID:  
1A4050100008C3D000000012  
METRC Sample:  
1A4050100008C3D000000027

Produced:  
Date Received: 04/29/2020  
Completed: 05/05/2020  
Sample Size: 10 units; Batch: -

Sky Labs - MKX  
Lic. #  
9421 N Dort Hwy  
Mt Morris, MI 48458

### Solvents

Pass

| Analyte                     | LOQ  | Limit | Mass   | Status | Analyte                | LOQ  | Limit | Mass   | Status |
|-----------------------------|------|-------|--------|--------|------------------------|------|-------|--------|--------|
|                             | PPM  | PPM   | PPM    |        |                        | PPM  | PPM   | PPM    |        |
| TOTAL BUTANES               |      | 800   | ND     | Pass   | 1-Propanol             | 4.36 |       | ND     | Tested |
| <i>n</i> -Butane            | 4.36 |       | ND     | Tested | 2-Butanone             | 4.36 |       | ND     | Tested |
| <i>Isobutane</i>            | 4.36 |       | ND     | Tested | Ethyl-Acetate          | 4.36 | 400   | ND     | Pass   |
| TOTAL PENTANES              |      | 750   | ND     | Pass   | 2-Butanol              | 4.36 |       | ND     | Tested |
| <i>Isopentane</i>           | 4.36 |       | ND     | Tested | Tetrahydrofuran        | 0.87 |       | ND     | Tested |
| <i>n</i> -Pentane           | 4.36 |       | ND     | Tested | Chloroform             | 4.36 | 2     | ND     | Pass   |
| TOTAL HEXANES               |      | 50    | ND     | Pass   | Cyclohexane            | 4.36 |       | ND     | Tested |
| 2,3-Dimethyl-Butane         | 4.36 |       | ND     | Tested | 1,2-Dimethoxy-Ethane   | 0.87 |       | ND     | Tested |
| 2-Methyl-Pentane            | 4.36 |       | ND     | Tested | Benzene                | 4.36 | 1     | ND     | Pass   |
| 3-Methyl-Pentane            | 4.36 |       | ND     | Tested | 1,2-Dichloro-Ethane    | 4.36 | 2     | ND     | Pass   |
| <i>n</i> -Hexane            | 4.36 |       | ND     | Tested | Heptanes               | 4.36 | 500   | ND     | Pass   |
| TOTAL XYLENES               |      | 150   | ND     | Pass   | 1-Butanol              | 4.36 |       | ND     | Tested |
| <i>o</i> -Xylene            | 4.36 |       | ND     | Tested | Trichloroethene        | 4.36 | 25    | ND     | Pass   |
| <i>p</i> & <i>m</i> -Xylene | 4.36 |       | ND     | Tested | 1,4-Dioxane            | 4.36 |       | ND     | Tested |
| Ethyl-Benzene               | 4.36 |       | ND     | Tested | 2-Ethoxy-Ethanol       | 4.36 |       | ND     | Tested |
| Methanol                    | 4.36 | 250   | ND     | Pass   | Propane                | 4.36 | 2100  | ND     | Pass   |
| Ethylene Oxide              | 2.18 | 5     | ND     | Pass   | Pyridine               | 4.36 |       | ND     | Tested |
| Ethanol                     | 4.36 | 1000  | 205.58 | Pass   | Ethylene Glycol        | 4.36 |       | ND     | Tested |
| Ethyl-Ether                 | 4.36 | 500   | ND     | Pass   | Toluene                | 4.36 | 150   | ND     | Pass   |
| Acetone                     | 4.36 | 750   | 16.74  | Pass   | 1-Pentanol             | 4.36 |       | ND     | Tested |
| 2,2-Dimethyl-Butane         | 4.36 |       | ND     | Tested | N,N-Dimethyl-Formamide | 4.36 |       | ND     | Tested |
| Isopropanol                 | 4.36 | 500   | 10.72  | Pass   | Dimethyl Sulfoxide     | 4.36 |       | ND     | Tested |
| Acetonitrile                | 4.36 | 60    | ND     | Pass   | N,N-Dimethyl-Acetamide | 4.36 |       | ND     | Tested |
| Methylene-Chloride          | 4.36 | 125   | ND     | Pass   | Cumene                 | 4.36 |       | ND     | Tested |
| Total Solvents              |      |       |        |        |                        |      |       | 233.04 |        |

Date Tested: 05/01/2020  
Testing Method: GC-MS / SOP - PSIMTDC  
PPM = Parts Per Million; LOQ = Limit of Quantitation, ND = Not Detected, NT = Not Tested.  
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



*L. Spivak*

Lev Spivak-Birndorf  
CSO



This product has been tested by PSI Labs using valid testing methodologies in compliance with state law. Values reported relate only to the product tested. PSI Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of PSI Labs.

## MKX-PURPLE PUNCH 1G VAPE CART

Sample ID: 2004PSI0342.10666  
Strain: n/a  
Matrix: Concentrates & Extracts  
Type: Other

METRC Batch ID:  
1A4050100008C3D000000012  
METRC Sample:  
1A4050100008C3D000000027

Produced:  
Date Received: 04/29/2020  
Completed: 05/05/2020  
Sample Size: 10 units; Batch: -

**Sky Labs - MKX**  
Lic. #  
9421 N Dort Hwy  
Mt Morris, MI 48458

### Vitamin E Acetate

| Analyte           | LOQ (PPM) | Mass (PPM) |
|-------------------|-----------|------------|
| Vitamin E Acetate | 100.00    | <LOQ       |



Lev Spivak-Birndorf  
CSO

