

## MKX-BLUE AFGOO 1G CART

Sample ID: 2004PSI0342.10678  
Strain: n/a  
Matrix: Concentrates & Extracts  
Type: Other

METRC Batch ID:  
1A4050100008C3D000000018  
METRC Sample:  
1A4050100008C3D000000039

Produced:  
Date Received: 04/29/2020  
Completed: 05/05/2020  
Sample Size: 11 units; Batch: -

Sky Labs - MKX  
Lic. #  
9421 N Dort Hwy  
Mt Morris, MI 48458

### Cannabinoids

**85.97%** **0.47%**

Total THC

Total CBD

Testing Method: HPLC-DAD / SOP - PSIMTDA  
Date Tested: 05/01/2020



Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.40	<LOQ	<LOQ
Δ9-THC	0.40	85.97	859.7
Δ8-THC	0.40	<LOQ	<LOQ
THCV	0.40	0.63	6.3
CBDa	0.40	<LOQ	<LOQ
CBD	0.40	0.47	4.7
CBN	0.40	<LOQ	<LOQ
CBGa	0.40	<LOQ	<LOQ
CBG	0.40	3.09	30.9
CBC	0.40	0.89	8.9
<b>Total</b>		<b>91.05</b>	<b>910.5</b>

Total THC = THCa \* 0.877 + Δ9-THC

Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation, ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

### Safety

Residual Solvents	GC-MS / SOP - PSIMTDC	Pass
Pesticides	HPLC-MS/MS / SOP - PSIMTDG	Pass
Heavy Metals	ICP-MS / SOP - PSIMTDH	Pass
Foreign Matter	Visual Exam / SOP - PSIMTDF	Pass



*L. Spivak*

Lev Spivak-Birndorf  
CSO



## MKX-BLUE AFGOO 1G CART

Sample ID: 2004PSI0342.10678  
Strain: n/a  
Matrix: Concentrates & Extracts  
Type: Other

METRC Batch ID:  
1A4050100008C3D000000018  
METRC Sample:  
1A4050100008C3D000000039

Produced:  
Date Received: 04/29/2020  
Completed: 05/05/2020  
Sample Size: 11 units; Batch: -

Sky Labs - MKX  
Lic. #  
9421 N Dort Hwy  
Mt Morris, MI 48458

### Pesticides

Pass


Analyte	LOQ	Limit	Mass	Status	Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Abamectin	0.5	0.5	ND	Pass	Hexythiazox	1	1	ND	Pass
Acephate	0.4	0.4	ND	Pass	Imazalil	0.2	0.2	ND	Pass
Acequinocyl	2	2	ND	Pass	Imidacloprid	0.4	0.4	ND	Pass
Acetamiprid	0.2	0.2	ND	Pass	Kresoxim Methyl	0.4	0.4	ND	Pass
Aldicarb	0.4	0.4	ND	Pass	Malathion	0.2	0.2	ND	Pass
Azoxystrobin	0.2	0.2	ND	Pass	Metalaxyl	0.2	0.2	ND	Pass
Bifenazate	0.2	0.2	ND	Pass	Methiocarb	0.2	0.2	ND	Pass
Bifenthrin	0.2	0.2	ND	Pass	Methomyl	0.4	0.4	ND	Pass
Boscalid	0.4	0.4	ND	Pass	Methyl Parathion	0.2	0.2	ND	Pass
Carbaryl	0.2	0.2	ND	Pass	MGK-264	0.2	0.2	ND	Pass
Carbofuran	0.2	0.2	ND	Pass	Myclobutanil	0.2	0.2	ND	Pass
Chlorantraniliprole	0.2	0.2	ND	Pass	Naled	0.5	0.5	ND	Pass
Chlorfenapyr	1	1	ND	Pass	Oxamyl	1	1	ND	Pass
Chlorpyrifos	0.2	0.2	ND	Pass	Paclobutrazol	0.4	0.4	ND	Pass
Clofentezine	0.2	0.2	ND	Pass	Permethrins	0.2	0.2	ND	Pass
Cyfluthrin	1	1	ND	Pass	Phosmet	0.2	0.2	ND	Pass
Cypermethrin	1	1	ND	Pass	Prallethrin	0.2	0.2	ND	Pass
Daminozide	1	1	ND	Pass	Propiconazole	0.4	0.4	ND	Pass
Diazinon	0.2	0.2	ND	Pass	Propoxur	0.2	0.2	ND	Pass
Dichlorvos	0.1	0.1	ND	Pass	Pyrethrins	1	1	ND	Pass
Dimethoate	0.2	0.2	ND	Pass	Pyridaben	0.2	0.2	ND	Pass
Ethoprophos	0.2	0.2	ND	Pass	Spinosad	0.2	0.2	ND	Pass
Etofenprox	0.4	0.4	ND	Pass	Spiromesifen	0.2	0.2	ND	Pass
Etoxazole	0.2	0.2	ND	Pass	Spirotetramat	0.2	0.2	ND	Pass
Fenoxycarb	0.2	0.2	ND	Pass	Spiroxamine	0.4	0.4	ND	Pass
Fenpyroximate	0.4	0.4	ND	Pass	Tebuconazole	0.4	0.4	ND	Pass
Fipronil	0.4	0.4	ND	Pass	Thiacloprid	0.2	0.2	ND	Pass
Flonicamid	1	1	ND	Pass	Thiamethoxam	0.2	0.2	ND	Pass
Fludioxonil	0.4	0.4	ND	Pass	Trifloxystrobin	0.2	0.2	ND	Pass

Date Tested: 05/01/2020

Testing Method: HPLC-MS/MS / SOP - PSIMTDP

PPM = Parts Per Million; LOQ = Limit of Quantitation, ND = Not Detected, NT = Not Tested.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Lev Spivak-Birndorf  
CSO



## MKX-BLUE AFGOO 1G CART

Sample ID: 2004PSI0342.10678  
Strain: n/a  
Matrix: Concentrates & Extracts  
Type: Other

METRC Batch ID:  
1A4050100008C3D000000018  
METRC Sample:  
1A4050100008C3D000000039

Produced:  
Date Received: 04/29/2020  
Completed: 05/05/2020  
Sample Size: 11 units; Batch: -

Sky Labs - MKX  
Lic. #  
9421 N Dort Hwy  
Mt Morris, MI 48458

### Microbials

Not Tested

Analyte	Limit	Mass	Status
---------	-------	------	--------

Analyte	Limit	Result	Status
---------	-------	--------	--------

Date Tested:  
Testing Method: qPCR  
CFU/g = Colony Forming Units per gram, ND = Not Detected, NT = Not Tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory."


### Heavy Metals

Pass

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Arsenic	0.1	0.2	<LOQ	Pass
Cadmium	0.1	0.2	ND	Pass
Chromium	0.1	0.6	0.22	Pass
Copper	0.1	3	<LOQ	Pass
Lead	0.1	0.5	<LOQ	Pass
Mercury	0.05	0.1	<LOQ	Pass
Nickel	0.1		<LOQ	Tested

Date Tested: 05/01/2020  
Testing Method: ICP-MS / SOP - PSIMTDH



  
Lev Spivak-Birndorf  
CSO



This product has been tested by PSI Labs using valid testing methodologies in compliance with state law. Values reported relate only to the product tested. PSI Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of PSI Labs.

## MKX-BLUE AFGOO 1G CART

Sample ID: 2004PSI0342.10678  
Strain: n/a  
Matrix: Concentrates & Extracts  
Type: Other

METRC Batch ID:  
1A4050100008C3D000000018  
METRC Sample:  
1A4050100008C3D000000039

Produced:  
Date Received: 04/29/2020  
Completed: 05/05/2020  
Sample Size: 11 units; Batch: -

Sky Labs - MKX  
Lic. #  
9421 N Dort Hwy  
Mt Morris, MI 48458

### Solvents

Pass

Analyte	LOQ	Limit	Mass	Status	Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
TOTAL BUTANES		800	ND	Pass	1-Propanol	4.21		ND	Tested
<i>n</i> -Butane	4.21		ND	Tested	2-Butanone	4.21		ND	Tested
<i>Isobutane</i>	4.21		ND	Tested	Ethyl-Acetate	4.21	400	ND	Pass
TOTAL PENTANES		750	ND	Pass	2-Butanol	4.21		ND	Tested
<i>Isopentane</i>	4.21		ND	Tested	Tetrahydrofuran	0.84		ND	Tested
<i>n</i> -Pentane	4.21		ND	Tested	Chloroform	4.21	2	ND	Pass
TOTAL HEXANES		50	ND	Pass	Cyclohexane	4.21		ND	Tested
2,3-Dimethyl-Butane	4.21		ND	Tested	1,2-Dimethoxy-Ethane	0.84		ND	Tested
2-Methyl-Pentane	4.21		ND	Tested	Benzene	4.21	1	ND	Pass
3-Methyl-Pentane	4.21		ND	Tested	1,2-Dichloro-Ethane	4.21	2	ND	Pass
<i>n</i> -Hexane	4.21		ND	Tested	Heptanes	4.21	500	ND	Pass
TOTAL XYLENES		150	ND	Pass	1-Butanol	4.21		ND	Tested
<i>o</i> -Xylene	4.21		ND	Tested	Trichloroethene	4.21	25	ND	Pass
<i>p</i> & <i>m</i> -Xylene	4.21		ND	Tested	1,4-Dioxane	4.21		ND	Tested
Ethyl-Benzene	4.21		ND	Tested	2-Ethoxy-Ethanol	4.21		ND	Tested
Methanol	4.21	250	ND	Pass	Propane	4.21	2100	ND	Pass
Ethylene Oxide	2.10	5	ND	Pass	Pyridine	4.21		ND	Tested
Ethanol	4.21	1000	ND	Pass	Ethylene Glycol	4.21		ND	Tested
Ethyl-Ether	4.21	500	ND	Pass	Toluene	4.21	150	ND	Pass
Acetone	4.21	750	ND	Pass	1-Pentanol	4.21		ND	Tested
2,2-Dimethyl-Butane	4.21		ND	Tested	N,N-Dimethyl-Formamide	4.21		ND	Tested
Isopropanol	4.21	500	ND	Pass	Dimethyl Sulfoxide	4.21		ND	Tested
Acetonitrile	4.21	60	ND	Pass	N,N-Dimethyl-Acetamide	4.21		ND	Tested
Methylene-Chloride	4.21	125	ND	Pass	Cumene	4.21		ND	Tested
Total Solvents								0.00	

Date Tested: 05/01/2020  
Testing Method: GC-MS / SOP - PSIMTDC  
PPM = Parts Per Million; LOQ = Limit of Quantitation, ND = Not Detected, NT = Not Tested.  
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



*L. Spivak*

Lev Spivak-Birndorf  
CSO



This product has been tested by PSI Labs using valid testing methodologies in compliance with state law. Values reported relate only to the product tested. PSI Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of PSI Labs.

## MKX-BLUE AFGOO 1G CART

Sample ID: 2004PSI0342.10678  
Strain: n/a  
Matrix: Concentrates & Extracts  
Type: Other

METRC Batch ID:  
1A4050100008C3D000000018  
METRC Sample:  
1A4050100008C3D000000039

Produced:  
Date Received: 04/29/2020  
Completed: 05/05/2020  
Sample Size: 11 units; Batch: -

**Sky Labs - MKX**  
Lic. #  
9421 N Dort Hwy  
Mt Morris, MI 48458

### Vitamin E Acetate

Analyte	LOQ (PPM)	Mass (PPM)
Vitamin E Acetate	100.00	<LOQ



Lev Spivak-Birndorf  
CSO

