3970 Varsity Dr Ann Arbor, MI 48108 (734) 369-6273

info@psilabs.org ISO/IEC 17025:2017: 84351 MMFLA #SC-000005

MKX Strawberry Gummies Extra Strength

Sample ID: 2003PSI0382.08450 Strain: n/a Matrix: Ingestible

METRC Batch ID: 1A4050100005016000002299 METRC Sample: 1A4050100005016000002841

Produced: Date Received: 03/26/2020 Completed: 04/03/2020 Sample Size: 19 units; Batch: - 3843 Euclid LLC Lic.# 1694 Marquette Bay City, MI 48706

Cannabinoids

Type: Soft Chew

192.70 1.53

Δ9-THC (mg/unit)

CBD (mg/unit)

Testing Method: HPLC-DAD / SOP - PSIMTDA Date Tested: 03/26/2020 1 Unit = 10 gummy candies, 56.95g

Analyte	LOQ	Mass	Mass
	mg/unit	mg/unit	mg/g
THCa	0.94	ND	ND
Δ9-ΤΗС	0.94	192.70	3.38
Δ8-ΤΗС	0.94	ND	ND
CBDa	0.94	ND	ND
CBD	0.94	1.53	0.03
CBN	0.94	ND	ND
Total		194.23	3.41



Total THC = THCa * 0.877 + Δ9-THC Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Safety

Water Activity Rotronic HC2-AW-USB Probe / SOP - PSIMTDI 0.63 aw - Pass Microbials 3M Petrifilm / SOP - PSIMTDE Foreign Matter Visual Exam / SOP - PSIMTDF Pass











This product has been tested by PSI Labs using valid testing methodologies in compliance with state law. Values reported relate only to the product tested. PSI Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of PSI Labs.



3970 Varsity Dr Ann Arbor, MI 48108 (734) 369-6273 info@psilabs.org ISO/IEC 17025:2017: 84351 MMFLA #SC-000005

MKX Strawberry Gummies Extra Strength

Sample ID: 2003PSI0382.08450 Strain: n/a

Matrix: Ingestible Type: Soft Chew METRC Batch ID: 1A4050100005016000002299 METRC Sample:

METRC Sample: 1A4050100005016000002841

Produced: Date Received: 03/26/2020

Completed: 04/03/2020 Sample Size: 19 units; Batch: - 3843 Euclid LLC

Lic.#

1694 Marquette Bay City, MI 48706

Microbials			Pass
Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Coliforms	100	ND	Pass
Yeast & Mold	10,000	ND	Pass

Analyte	Limit	Result	Status
E. Coli	Not Detected in 1g	Negative	Pass
Salmonella	Not Detected in 1g	Negative	Pass
Aspergillus	Not Detected in 1g	Negative	Pass

Date Tested: 04/03/2020 Testing Method: qPCR #REF!

Heavy Metals Not Tested

Analyte LOQ Limit Mass Status

Date Tested: Testing Method: ICP-MS / SOP - PSIMTDH







L. L. M

Lev Spivak-Birndorf



